Sample



Emergency Care Plan

BEE STING ALLERGY

Student:	Grade:	School Contac	t:	DOB:
Asthmatic: 🗖 Yes - 🕻	No (increased risk for sev	vere reaction) Severity of	reaction(s):	
Mother:		_MHome #:	_ MWork #:	MCell #:
Father:		_ FHome #:	_ FWork #:	FCell #:
Emergency Contact: _		Relationship:	Phon	e:
 MOUTH THROAT SKIN STOMACH LUNG HEART T 	N ALLERGIC REACTIO Itching & swelling of lip Itching, tightness in three Hives, itchy rash, swellin Nausca, abdominal cran Shortness of breath, rep "Thready pulse", "passin The severity of symptom Is important that treatm	s, tongue or mouth sat, hoarseness, cough sg of face and extremities sps, vomiting, diarrhea etitive cough, wheezing ng out" s can change quickly	_	Student Photo
STAFF MEMBERS	INSTRUCTED: Administration	☐ Classroom Teacher(s)☐ Support Staff	☐ Special Are: ☐ Transportat	
TREATMENT:	Remove stinger if visible	, apply ice to area.	Rinse contact area with water.	
Benadryl ordered:	nitiated with symptoms Yes No Il parent/guardian if off sch	Give	Benadryl per p	
AND EPIN Preferred Hospital if t Epinephrine provides rate. This is a normal member should accom	MS BEYOND REDNES: EPHRINE IS ORDERE ransported: a 20 minute response winderesponse. Students receiving any the student to the emfor other students is present	D, GIVE EPINEPHRI ow. After epinephrine, a sign epinephrine should be dergency room if the paren	NE IMMEDIATELY student may feel dizzy or transported to the hospit	AND CALL 911. have an increased heart al by ambulance. A staff
	: Medication available of			
Healthcare Provider:			Phone:	
	☐ Copy provided to Pare			
Parent/Guardian Sig	gnature to share this plan w	ith Provider and School S	Staff:	
	This plan is in effect fo	or the current school year and	d summer school as needed.	Revised 1/08